

HUSKY®

HUSKY SOLUTIONS AND TECHNOLOGIES FOR PAIL MOLDING



ACHIEVE HIGHER PERFORMANCE AND CONSISTENT PART QUALITY WITH HUSKY'S ADVANCED SOLUTIONS AND TECHNOLOGIES FOR PAIL MOLDING.

Husky technologies and solutions tailored to the needs and requirements of highly efficient and cost-effective pail molding. Our portfolio of injection molding machines, hot runner systems, mold controllers and online monitoring services meet the toughest requirements of pail manufacturing – high performance, energy efficiency and production cell versatility support high part quality requirements and industry regulations – sustainability, cracking resistance, impact strength and top load.

Husky High Performance Injection Molding Machines

- » Available up to 12,000kN clamping force
- » Fast clamp to support aggressive cycle times
- » Large opening stroke
- » Robust machine base and Reflex platens for increased mold lifetime
- » High injection pressure and speed
- » High throughput and recovery rates, high torque and RPM, optimum pail screw
- » Capable to process of low MFI and PCR resins
- » Simultaneous molding of pail and handle with fully integrated secondary injection unit
- » Energy efficiency

ENGINEERED FOR PAILS.



BUILT FOR PERFORMANCE, FLEXIBILITY, AND EFFICIENCY.



BUILDING AN INTEGRATED SYSTEM

When it comes to achieving high performing melt delivery systems for molding pails and food bucket packaging applications, the ideal is a combination of machine, hot runner, and mold controller that are engineered to work together. Incorporating system-level enhancements to each discrete component will deliver the highest levels of productivity, part quality, and consistency.

This philosophy is at the core of Husky's approach to mastering melt stream delivery, which integrates each of these three key components:





Get Started With Husky's Packaging Solutions for Pails

Get in touch to discuss your injection molding goals and to learn more about Husky's molding platforms and expertise.



LET'S START DISCUSSING YOUR NEXT PROJECT! »

Husky Technologies™
husky.co

Head Office
Asia Pacific
Europe

Canada • Tel (905) 951 5000 • Fax (905) 951 5384
China • Tel (86) 21 2033 1000 • Fax (86) 21 5048 4900
Luxembourg • Tel (352) 52 11 51 • Fax (352) 52 60 10

Husky Technologies™ is a registered trade-mark of Husky Technologies™ in the United States and other countries, and may be used by certain of its affiliated companies under License. All HUSKY products or service names or logos referenced in these materials are trade-marks of Husky Technologies™ and may be used by certain of its affiliated companies under License.

© 2026 Husky Technologies™. All rights are reserved.

Disclaimer: Information is made available in this flyer "as is" and no warranties are given or liabilities of any kind are assumed with respect to the quality of such Information, including, but not limited to, its fitness for a purpose, non-infringement of third party rights, accuracy, completeness or its correctness. Except as set forth in Husky's written warranty, Husky makes no additional warranties, whether express, implied or statutory. Certain conditions may apply. For more details please request a copy of Husky's written warranty and Standard Terms and Conditions.*